

# POP 'N' WORK HEAVY DUTY UMBRELLAS

**STANDARD UMBRELLAS WITH  
CENTER POLES.**



**3  
SIZES**

**5  
MODELS**

- TOUGH VINYL COVERS.
- TWO-PART, POINTED POLES. STURDY HARDWOOD OR ALUMINUM WITH TILT.
- STORAGE BAG INCLUDED.
- HEAVY DUTY UMBRELLA STAND.

**SQUARE UMBRELLA WITH  
CENTER POLE.**




**BETTER PROTECTION  
ON WORKSITES  
ADJACENT TO WALLS**



**LOW COST  
WEATHER PROTECTION  
THAT'S EASY TO USE -  
SUN OR RAIN**

**SUMBRELLA - SQUARE  
WITH FOUR LEGS.**


**DIELECTRIC  
MODELS**



**FAST SETUP  
ON ANY  
SURFACE**

**WITH FOUR LEGS –**

- YOU JUST POP OUT THE ROOF FRAME, AND ITS READY TO USE.
- NO TIME LOST SETTING UP A STAND OR SECURING THE CENTER POLE.
- DOES NOT OBSTRUCT THE WORK AREA.
- 14" SIDES PROVIDE EXTRA PROTECTION FROM SUN AND RAIN.
- TOUGH VINYL COVERS



**cTs**

CREATIVE TENT SOLUTIONS, Inc.

1505 Racine Street • P.O. Box 904  
Delavan, WI 53115-0904  
262-728-2686 • Fax: 262-728-5999  
email: [ctstents@sbcglobal.net](mailto:ctstents@sbcglobal.net)

## HEAVY DUTY UMBRELLA STAND



## STANDARD DIELECTRIC UMBRELLA



	MODEL NUMBER	FRAME		POLE LENGTH	COVERS FEATURES	
		POLE	RIBS			
<b>STANDARD CENTER POLE MODELS</b>	6684M	HARDWOOD	STEEL	84"	6 RIBS	66" DIA
	7884W	HARDWOOD	STEEL	84"	6 RIBS	78" DIA
	7886M	ALUM W/TILT	STEEL	86"	6 RIBS	78" DIA
	8492W	HARDWOOD	STEEL	92"	8 RIBS	84" DIA
	8492M	ALUM W/TILT	STEEL	92"	8 RIBS	84" DIA
<b>SQUARE WITH CENTER POLE</b>	5484MS	ALUM W/TILT	STEEL	84"	4 RIBS	54" SQ
<b>DIELECTRIC WITH CENTER POLE</b>	7284D	HARDWOOD	FIBERGLASS	84"	6 RIBS	72" DIA
<b>CENTER POLE STAND</b>	STN1	EXTENDABLE LEGS FOR COMPACT STORAGE 48" X 78" EXTENDED BASE.				
<b>SUMBRELLA STANDARD</b>	6078M	4 METAL LEGS	FIBERGLASS	78"	4 RIBS	60" SQ
<b>SUMBRELLA DIELECTRIC</b>	6078D	4 FIBERGLASS LEGS	FIBERGLASS	78"	4 RIBS	60" SQ
<b>SUMBRELLA TELESCOPING</b>	6078T	4 METAL TELESCOPING LEGS	FIBERGLASS	78"	4 RIBS	60" SQ

TOUGH VINYL COVERS ON ALL UMBRELLAS. STANDARD COLOR SAFETY YELLOW.  
CUSTOM COLORS AND LOGOS AVAILABLE.

### CENTER POLE UMBRELLAS - INSTALLATION TIP

TO MAKE IT EASIER TO PUSH THE POINTED UMBRELLA POLES INTO THE GROUND, DRILL A HALF INCH HOLE ABOUT 12" FROM THE END OF THE POLE. A ROD CAN THEN BE INSERTED INTO THE HOLE, AND THE POLE PUSHED INTO THE GROUND WITH YOUR FOOT.

